

WTP-24VDC/SOL

Connector Type : 2P+E, Socket Solenoid (DIN)


Connector, illuminated

Rated Voltage : 250V

Rated Current : 10A

Mounting : Screw Size M3*30mm

Center Distance : 18mm



Wise Technomation

B27 Asudev Industrial Park, Near Swaminarayan Estate, Kathwada-Singarva Road, Ahmedabad- 382430

Mo. : 99740 39718, 94088 79633

Email : sales@wisetechnomation.com, service@wisetechnomation.com

Web : www.wisetechnomation.com,

WTP-230VAC/SOL

Connector Type : 2P+E, Socket Solenoid (DIN)

Connector, illuminated

Rated Voltage : 250V

Rated Current : 10A

Mounting : Screw Size M3*30mm

Center Distance : 18mm



Wise Technomation

B27 Asudev Industrial Park, Near Swaminarayan Estate, Kathwada-Singarva Road, Ahmedabad- 382430

Mo. : 99740 39718, 94088 79633

Email : sales@wisetechnomation.com, service@wisetechnomation.com

Web : www.wisetechnomation.com,

WTP- SL

Connector Type : 2P+E, Socket Solenoid (DIN)


Connector, Non- illuminated

Rated Voltage : 250V

Rated Current : 10A

Mounting : Screw Size M3*30mm

Center Distance : 18mm



Wise Technomation

B27 Asudev Industrial Park, Near Swaminarayan Estate, Kathwada-Singarva Road, Ahmedabad- 382430

Mo. : 99740 39718, 94088 79633

Email : sales@wisetechnomation.com, service@wisetechnomation.com

Web : www.wisetechnomation.com,

